



RS Global

WORLD SCIENCE

Special Edition
May 15-16, 2019

**VI Ukrainian Scientific Conference
of Students and Young Scientists in Physiology
«Physiology to Medicine, Pharmacy and Pedagogics:
Actual Problems and Modern Advancements»**

DOI: https://doi.org/10.31435/rsglobal_ws

Copies may be made only from legally acquired originals.

A single copy of one article per issue may be downloaded for personal use (non-commercial research or private study). Downloading or printing multiple copies is not permitted. Electronic Storage or Usage Permission of the Publisher is required to store or use electronically any material contained in this work, including any chapter or part of a chapter. Permission of the Publisher is required for all other derivative works, including compilations and translations. Except as outlined above, no part of this work may be reproduced, stored in a retrieval system or transmitted in any form or by any means without prior written permission of the Publisher.

Publisher –
RS Global Sp. z O.O.,
Scientific Educational Center
Warsaw, Poland
Numer KRS: 0000672864
REGON: 367026200
NIP: 5213776394

Publisher Office's address:
Dolna 17, lok. A_02
Warsaw, Poland,
00-773
Website: <https://ws-conference.com/>
E-mail: rsglobal.poland@gmail.com
Tel: +4(857) 898 55 10

The authors are fully responsible for the facts mentioned in the articles. The opinions of the authors may not always coincide with the editorial boards point of view and impose no obligations on it.

CHIEF EDITOR

Laputyn Roman PhD in transport systems, Associate Professor, Department of Transport Systems and Road Safety, National Transport University, Ukraine

EDITORIAL BOARD:

Nobanee Haitham Associate Professor of Finance, Abu Dhabi University, United Arab Emirates

Almazari Ahmad Professor in Financial Management, King Saud University-Kingdom of Saudi Arabia, Saudi Arabia

Lina Anastassova Full Professor in Marketing, Burgas Free University, Bulgaria

Mikiashvili Nino Professor in Econometrics and Macroeconomics, Ivane Javakishvili Tbilisi State University, Georgia

Alkhalwaldeh Abdullah Professor in Financial Philosophy, Hashemite University, Jordan

Mendebaev Toktamys Doctor of Technical Sciences, Professor, LLP "Scientific innovation center "Almas", Kazakhstan

Yakovenko Nataliya Professor, Doctor of Geography, Ivanovo State University, Shuya

Mazbayev Ordenbek Doctor of Geographical Sciences, Professor of Tourism, Eurasian National University named after L.N.Gumilev, Kazakhstan

Sentyabrev Nikolay Professor, Doctor of Sciences, Volgograd State Academy of Physical Education, Russia

Ustenova Gulbaram Director of Education Department of the Pharmacy, Doctor of Pharmaceutical Science, Kazakh National Medical University name of Asfendiyarov, Kazakhstan

Harlamova Julia Professor, Moscow State University of Railway Transport, Russia

Kalinina Irina Professor of Chair of Medicobiological Bases of Physical Culture and Sport, Dr. Sci.Biol., FGBOU VPO Sibirsky State University of Physical Culture and Sport, Russia

Imangazinov Sagit Director, Ph.D. Pavlodar affiliated branch "SMU of Semei city", Kazakhstan

Dukhanina Irina Professor of Finance and Investment Chair, Doctor of Sciences, Moscow State Medical Dental University by A. I. Evdokimov of the Ministry of health of the Russian Federation, Russian Federation

Orehowskyi Wadym Head of the Department of Social and Human Sciences, Economics and Law, Doctor of Historical Sciences, Chernivtsi Trade-Economic Institute Kyiv National Trade and Economic University, Ukraine

Peshcherov Georgy Professor, Moscow State Regional University, Russia

Mustafin Muafik Professor, Doctor of Veterinary Science, Kostanay State University named after A. Baitursynov

Ovsyanik Olga Professor, Doctor of Psychological Science, Moscow State Regional University, Russian Federation

Suprun Elina Professor, Doctor of Medicine, National University of Pharmacy, Ukraine

Kuzmenkov Sergey Professor at the Department of Physics and Didactics of Physics, Candidate of Physico-mathematical Sciences, Doctor of Pedagogic Sciences, Kherson State University

Safarov Mahmatali Doctor Technical Science, Professor Academician Academia Science Republic of Tajikistan, National Studies University "Moscow Power Institute" in Dushanbe

Omarova Vera Professor, Ph.D., Pavlodar State Pedagogical Institute, Kazakhstan

Koziar Mykola Head of the Department, Doctor of Pedagogical Sciences, National University of Water Management and Nature Resources Use, Ukraine

Tatarintseva Nina Professor, Southern Federal University, Russia

Sidorovich Marina Candidate of Biological Sciences, Doctor of Pedagogical Sciences, Full Professor, Kherson State University

Polyakova Victoria Candidate of Pedagogical Sciences, Vladimir Regional Institute for Educational Development Name L. I. Novikova, Russia

Issakova Sabira Professor, Doctor of Philology, The Aktyubinsk regional state university of K. Zhubanov, Kazakhstan

Kolesnikova Galina Professor, Taganrog Institute of Management and Economics, Russia

Utebaliyeva Gulnara Doctor of Philological Science, Al-Farabi Kazakh National University, Kazakhstan

Uzilevsky Gennady Dr. of Science, Ph.D., Russian Academy of National Economy under the President of the Russian Federation, Russian Federation

Krokhmal Nataliia Professor, Ph.D. in Philosophy, National Pedagogical Dragomanov University, Ukraine

Chorny Oleksii D.Sc. (Eng.), Professor, Kremenchuk Mykhailo Ostrohradskyi National University

Pilipenko Oleg Head of Machine Design Fundamentals Department, Doctor of Technical Sciences, Chernigiv National Technological University, Ukraine

Nyyazbekova Kulanda Candidate of pedagogical sciences, Kazakhstan

Cheshmedzhieva Margarita Doctor of Law, South-West University "Neofit Rilski", Bulgaria

Svetlana Peneva MD, dental prosthetics, Medical University - Varna, Bulgaria

Rossikhin Vasily Full dr., Doctor of Legal Sciences, National Law University named after Yaroslav the Wise, Ukraine

Pikhtirova Alina PhD in Veterinary science, Sumy national agrarian university, Ukraine

Temirbekova Sulukhan Dr. Sc. of Biology, Professor, Federal State Scientific Institution All-Russia Selection-Technological Institute of Horticulture and Nursery, Russian Federation

Tsybaliuk Vitalii Professor, Doctor of Medicine, The State Institution Romodanov Neurosurgery Institute National Academy of Medical Sciences of Ukraine

CONTENTS

Chernobay L., Vasylieva O., Lenska O., Morozov O., Terentyev V. TO THE ISSUE OF THE MECHANISM OF ADAPTATION DEVELOPMENT TO THE PSYCHOEMOTIONAL STRESS OF TRAINING IN FEMALE MEDICAL STUDENTS OF GENERAL AND SPORTS GROUPS.....	5
Goncharova A. V., Pavlov S. B., Pavlova O. S., Razumovskiy A. N., Kaur A. ADAPTABILITY OF CARDIORESPIRATORY SYSTEM IN NORMOTENSIVE AND HYPOTENSIVE FEMALE STUDENTS WITH DIFFERENT IMPACT OF THE AUTONOMIC NERVOUS SYSTEM SUBDIVISIONS.....	8
Nataliia S. Hloba, Inna M. Isaieva, Irina S. Karmazina, Dmytro I. Marakushin, Oleksandr A. Hloba THE INTERCONNECTION BETWEEN INDIVIDUAL CIRCADIAN RHYTHMS AND EATING BEHAVIOR AS ONE OF MAIN REASONS OF OVERWEIGHT AND OBESITY IN YOUNG PEOPLE.....	12
Maslova N., Maslova Y. RESEARCH OF THE DENTAL STATUS OF MEDICAL UNIVERSITY STUDENTS.....	16
Pandikidis N. I., Stovan A. O. INFLUENCE OF THE ENVIRONMENTAL FACTORS ON THE HUMAN DIABETES.....	18
Alekseienko R. V., Rysovana L. M. THE INFLUENCE OF NATURAL AND SOCIAL FACTORS ON THE VITAL ACTIVITY OF THE ORGANISM IN MODERN CONDITIONS.....	21
Bulynina Oksana, Voytenko Taisiya THE EMPATHIC ABILITY OF KHARKIV NATIONAL MEDICAL UNIVERSITY STUDENTS WITH THE FUNCTIONAL ASYMMETRY OF A DIFFERENT TYPE.....	24
Nadiia V. Hryhorenko, Marina S. Zimina, Stanislav M. Zimin, Maryna N. Kucher PHYSICAL AND CHEMICAL PROPERTIES OF BILE IN DIABETIC PATIENTS.....	28
Dunaeva O. V., Korovina L. D. THE DEPENDENCE OF THE DEGREE OF METEOSENSITIVITY ON THE STATE OF THE CARDIORESPIRATORY SYSTEM AND THE PRESENCE OF PREPATHOLOGICAL CHANGES IN THE BODY IN MEN AND WOMEN.....	32
Dmytro I. Marakushyn, Inna M. Isaieva, Iryna S. Karmazina, Natalia S. Hloba, Elijah Adetunji Oluwasegun, Kateryna M. Makarova FEMALE VS. MALE: DIFFERENCE IN IMMUNE RESPONSE.....	35
Kyrychenko M. P., Marakushin D. I., Shenher S. V., Dunaeva O. V., Bondar O. O. SOME FEATURES OF THE EYE TEST IN PERSONS WHO ARE SYSTEMATICALLY INVOLVED IN SPORTS.....	38
Sokol O. M., Polishchuk T. V, Khorshunova A. M., Kadnai O. S., Volkov I. I. CORRELATES OF AUTONOMOUS NERVOUS AND IMMUNE SYSTEMS AT INTELLECTUAL EXERTION OF MEDICAL STUDENTS IN CONDITIONS OF COMBINED ACTION OF ENVIRONMENTAL STRESSORS.....	40
Hanna M. Zelinskaya, Katerina A. Zelenskaya, Sukhachova I. A., Kovalenko A. A., Yuliya G. Bazyleva FEATURES OF ADAPTATION REACTIONS OF ORGANISM OF STUDENTS, WHICH DEPEND ON THE PRESENCE OF CHRONIC DISEASES IN ANAMNESIS.....	43
Tishchenko A. N., Lisina A. V., Yurkova O. V., Tishchenko M. O. CERTAIN ASPECTS OF ADAPTOLOGICAL INFLUENCES ON THE DEVELOPMENT OF PSYCHOPHYSIOLOGICAL ADDICTION.....	47
Shtrakh Kateryna Vasyliivna, Rak Larisa Ivanivna, Mulenga Natasha, Samuel Arko Addo, Okoronkwo Ugochukwu, Innocentia Awuzie CORRELATION OF STRESS-PROVIDING AND RENIN-ANGIOTENSIN-ALDOSTERONE SYSTEMS AND NT-PROBNP IN ADOLESCENTS WITH RHYTHM DISORDERS.....	49

<i>Маракушин Д. І., Ісаєва І. М., Кармазіна І. С., Глоба Н. С.</i> ВПЛИВ ОКСИЕТИЛЬОВАНИХ НОНІЛФЕНОЛІВ ТА ЇХ ПОХІДНИХ НА СТАН НЕСПЕЦИФІЧНОЇ ІМУННОЇ РЕЗИСТЕНТНОСТІ ЩУРІВ.....	54
<i>Л. М. Дяченко</i> ВІДПОВІДЬ КЛІТИН ЛЕЙКОЦИТАРНОГО РЯДУ НА ВПЛИВ СТРЕС-ФАКТОРІВ ТА МОЖЛИВІСТЬ ЇЇ КОРЕЛЯЦІЇ ПРИРОДНИМИ АНТИОКСИДАНТАМИ.....	60
<i>Vaschuk Mykola A., Sokol Olena M., Khorshunova Anastasiy M., Chernysh Hanna O., Yacenko Alina Yu.</i> ADAPTATION INDEX AND FUNCTIONAL STATE OF CENTRAL NERVOUS SYSTEM IN MEDICAL STUDENTS DURING THE PERIOD OF INTENSIVE LEARNING ACTIVITY.....	67
<i>Ковальов М. М., Чеботенко О. Р.</i> ЯВИЩЕ ЕМПАТІЇ ЯК СПОСІБ АДАПТАЦІЇ ТА ВЗАЄМОДІЇ В СОЦІАЛЬНІЙ СФЕРІ.....	70

THE DEPENDENCE OF THE DEGREE OF METEOSENSITIVITY ON THE STATE OF THE CARDIORESPIRATORY SYSTEM AND THE PRESENCE OF PREPATHOLOGICAL CHANGES IN THE BODY IN MEN AND WOMEN

PhD Dunaeva O. V., PhD Korovina L. D.

Ukraine, Kharkiv, Kharkiv National Medical University

DOI: https://doi.org/10.31435/rsglobal_ws/16052019/6430

ARTICLE INFO

Received: 20 March 2019

Accepted: 18 April 2019

Published: 16 May 2019

KEYWORDS

meteosensitivity,
cardiorespiratory system,
vegetative Kerdo index,
Hildebrant index,
parasympathicotonia,
sympathicotonia,
prenosological conditions,
students.

ABSTRACT

The article is devoted to a comprehensive study of the dependence of meteosensitivity on the autonomic balance of the body, as an indicator of prenosological conditions in young men and women of the second year of Kharkiv National Medical University. With the help of a meteopathic questionnaire (METEO-Q), the level of meteosensitivity was determined by psycho-emotional and physiological parameters. The vegetative Kerdo index and the Hildebrant index were calculated.

It was found that the greater the level of meteorological dependence, the greater the vegetative Kerdo index and the Hildebrant index, which is accompanied by parasympathotonia in men and sympathicotonia mainly in women. The presented data demonstrate the dependence of the cardiovascular and respiratory systems and their interrelations on meteosensitivity. The degree of meteosensitivity (meteo dependence) of the body as an indicator of its adaptive reserves is directly dependent on the state of health and the presence of pre-pathological changes in the body.

Citation: Dunaeva O. V., Korovina L. D. (2019) The Dependence of the Degree of Meteosensitivity on the State of the Cardiorespiratory System and the Presence of Prepathological Changes in The Body in Men and Women. *World Science. Special Edition. VI Ukrainian Scientific Conference of Students and Young Scientists in Physiology «Physiology to Medicine, Pharmacy and Pedagogics: Actual Problems and Modern Advancements»* doi: 10.31435/rsglobal_ws/16052019/6430

Copyright: © 2019 Dunaeva O. V., Korovina L. D. This is an open-access article distributed under the terms of the **Creative Commons Attribution License (CC BY)**. The use, distribution or reproduction in other forums is permitted, provided the original author(s) or licensor are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Introduction. Since the human being exists in close interaction with the environment, he reacts to varying degrees to all sorts of weather changes. The severity of the reaction depends on the general condition of the body, lifestyle, age and the presence of diseases. Meteorological dependence causes not only the development of pathological disorders in organs and systems, but also pronounced functional tension of the body, which is caused by the action of adverse factors [1]. It is known that the effectiveness of the body is mainly determined by the coordinated work of functional systems of blood circulation and respiration. Therefore, the effect of meteosensitivity on the cardiovascular and respiratory systems can be determined using the Hildebrant index, and the vegetative provision can be determined by the Kerdo index, which allows integrative comparison of the body's functional capabilities [2].

In the scientific literature, many works are devoted to the study of meteosensitivity. However, the study of the dependence of the degree of meteosensitivity on the state of the cardiorespiratory system and the presence of prepathological changes in the body in people of different sexes is not well understood, so this topic is quite relevant.

The aim of the study was to study the dependence of meteosenitivity on the vegetative balance of the organism, as an indicator of the prenosophical conditions of second-year students of the Kharkiv National Medical University.

Results of research. The study involved 50 second-year students of KNMU aged from 17 to 20 years, of which 25 men (50%) and 25 women (50%). All subjects gave voluntary consent to participate in the experiment. The level of meteorological dependence was determined using a meteopathic questionnaire (METEO-Q). Depending on the level of meteorological dependence, students were divided into 4 groups - with pathological, high, medium and low levels of psychological (Q1) and physiological (Q2) meteorological dependence. Heart rate (HR), respiratory rate (RR) and blood pressure (BP) were measured using the Korotkov method at rest.

The Kerdo autonomic index characterizes the ratio of the activity of the sympathetic and parasympathetic autonomic nervous system in regulatory processes under conditions of physical exertion, psychoemotional stress and different health conditions of the subjects, therefore, can be used to assess and predict prenosophical disorders in the state of the body. The vegetative Kerdo index was calculated using the formula: $VKI = (1 - DAP / HR) \times 100\%$. With a normal ratio of the activity of the sympathetic and parasympathetic systems in regulating the work of the heart (eutonia), the Kerdo index values are in the range of 0-1%.

With its increase, the predominance of sympathetic influences of the autonomic nervous system was noted; a negative coefficient value was observed with an increase in the tone of the parasympathetic division. Significant deviations of this index (more than 30%) indicate the inability of the cardiovascular system to ensure an adequate level of adaptive capacity of the organism.

This is a factor in the development of the prenosophical state of health of the subjects. The Hildebrandt index is calculated as the ratio of heart rate to the frequency of respiratory excursions per minute, the formula: $Q = HR / RR$. Normally, in a healthy person, this index varies from 2.8 to 4.9, which indicates the normal interconnection in the cardiorespiratory system. When reducing it, we can talk about the autonomic regulation disorder in the direction of parasympathicotonia, and with its increase – in the direction of sympathicotonia, which indicates inconsistency in the activity of the cardiovascular and respiratory systems [3].

As established by A.A. Vasilkov (1999) there is a direct connection of the Hildebrandt index with the level of blood pH. According to A.A. Vasilkov, the maximum permissible ratio of HR / RR should be in the range from 3.5 to 6.5, since a further increase in the indicator indicates the overvoltage of cardiorespiratory systems, an increase in metabolic processes, which leads to a state of acidosis and can lead to the development of various diseases [4].

The indicator of meteorological dependence Q1 was determined by the presence of changes in the psychoemotional state in accordance with changes in weather conditions (atmospheric phenomena, changes in latitude, temperature fluctuations, changes in seasons, etc.).

As a result of the research, it was found that among men 49% of respondents had a low level of meteorological dependence on psychological indicators ($Q1 \leq 2$), in which the Kerdo vegetative index (VKI) was 0.05% - this is the normal stable state of the cardiovascular system (eutonia).

The Hildebrandt Index (HI) was 3.14 c. units, which is also within the normal range. 31% of the students had the average level ($3 \leq Q1 \leq 5$): VKI was -1.2%, which indicates parasympathicotonia. The Hildebrandt index was 4.38 c. units.

Men with a high level of meteorological dependence Q1 ($6 \leq Q1 \leq 8$) - 20% showed the following: VKI – -16%, which indicates hyperparasympathicotonia. The Hildebrandt index was 6.14 c. units, which exceeds the upper threshold of the norm by 25.3%. The presented data demonstrate the dependence of the cardiovascular and respiratory systems and their interrelations on meteosenitivity. The survey of students showed that 80% of them have problems with the gastrointestinal tract (increased acidity and gastritis, etc.).

The results obtained are consistent with data from other researchers, who confirm that the majority of patients with peptic ulcer are vagotonic, have bradycardia, and increased acidity of gastric juice. And the vegetative Kerdo index in most patients with peptic ulcer is in the area of negative values [5].

The indicator of meteorological dependence Q2 characterizes physiological abnormalities, the degree of connection between symptoms and climatic changes, the presence of pronormal symptoms, anxiety, disturbance. A low level of physiological meteorological dependence ($Q2 \leq 2$) among men had

70% of students, for whom the VKI was 0% (norm); the Hildebrand index was 3.53 c. units (norm). The average meteorological dependence of Q2 ($3 \leq Q2 \leq 4$) among men was 30%, VKI was -10% (expressed parasympathicotonia), Hildebrand index was 6.24 c. units, which is 27% higher than the norm.

The findings suggest that in men, even the average level of meteosensitivity leads to disruption of the coordinated interaction of the cardiovascular and respiratory systems. Among women, a low level of psychological meteorological dependence Q1 is found in 33% of female students ($Q1 \leq 4$), the VKI was 0.03%, and the Hildebrand index in them is 3.97 c. units. The average level of Q1 ($5 \leq Q1 \leq 7$) was 41.7% of women. In this group, the VKI was -4%, which indicates parasympathicotonia. Hildebrand index – 4.07 c. units. 16.6% of women with a VKI of 26% (sympathicotonia) had a high level of meteorological dependence of Q1, the Hildebrand index was 6.14 c. units, which is 25% higher than the norm. It was established that 8.3% of women had a pathological level of meteorological dependence ($Q1 \geq 11$), VKI was 34% (hypersympathicotonia), while the Hildebrand index was 6.44 c. units, while the excess of the norm was 31.4%. 29.2% of female students had a low level of physiological meteorological dependence ($Q2 \leq 3$) among women, VKI – 0%, Hildebrand index – 4.09 c. units. Among women with an average level of meteorological dependence Q2 ($4 \leq Q2 \leq 6$), which was 29.2%, VKI – 16%, the Hildebrand index was 4.79 c. units. A high level of Q2 is set in 25% of female students ($7 \leq Q2 \leq 10$), VKI – 24%, while the Hildebrand index was 4.85 c. units.

Students who had a pathological level of meteosensitivity ($Q2 \geq 11$) - 8.3%, VKI - 36%, Hildebrand index was 8.45 c. units, which indicates hypersympathicotonia. The presence of high and pathological meteorological levels with hypersympathicotonic VKIs and a high Hildebrand index, which is almost twice as high as normal, indicates inconsistencies in the intersystem interaction of the cardiovascular and respiratory systems, the predominance of the sympathetic nervous system in these groups. The above data suggests that meteo-dependence (meteosensitivity) is manifested with functional overstrain of the body and hidden pathological disorders in organs and systems. This prenosological state of the body, which is manifested in an increase in the level of meteosensitivity, can lead to disruption of both the cardiorespiratory system and other systems, especially the digestive one [6].

Conclusions. 1. It has been established that the greater the level of meteo dependence, the greater the vegetative Kerdo index and the Hildebrand index, which is accompanied by parasympathicotonia in men and sympathicotonia mainly in women. This indicates a discoordination in the vegetative provision of cardiorespiratory relationships.

2. The degree of meteosensitivity (meteo dependence) of the body as an indicator of its adaptive reserves is directly dependent on the state of health and the presence of pre-pathological changes in the body.

REFERENCES

1. Розенблат, В.В. Два типа адаптации кардиореспираторных показателей человека к физической нагрузке / В.В. Розенблат, С.Н. Малафеева, А.М. Поводатор, С.В. Рожкова. - Физиология человека. - Т.11. - N1.- 1985.- С.102-105.
2. Мирцхулава Н.Г. Границы диапазона сердечно-дыхательного синхронизма при различной глубине высокочастотного дыхания в зависимости от типа личности / Н.Г. Мирцхулава. – Научный журнал КубГАУ, №115 (01), 2016 р.).
3. Фудин, Н.А. Медико-биологические технологии в спорте. Монография. / Н.А. Фудин, А.А. Хадарцев, В.А Орлов / Под руководством академика РАН и РАМН С.П. Миронова. - М.: Издательство «Известия», 2011. - 460 с.
4. Васильков, А.А. Способ определения общего состояния организма: Патент на изобретение № 2142733 / А.А. Васильков // Открытия и изобретения. - 1999. - № 35.
5. Вейн А. М. Заболевания вегетативной нервной системы / А. М. Вейн [и др.]. — М., 1991. — 622 с.
6. Baevsky, R.M. & Berseneva, A.P., 2017. Pre-nosology diagnostics. *Cardiometry*, (10), pp.55–63. Available at: <http://dx.doi.org/10.12710/cardiometry.2017.10.5563>.