

# ΛΌΓΟΣ

# Σ

## KOLEKCJA PRAC NAUKOWYCH

SZTUKA MYSŁI NAUKOWEJ

Z MATERIAŁAMI MIĘDZYNARODOWEJ NAUKOWO-PRAKTYCZNEJ KONFERENCJI

### WIELOKIERUNKOWOSC JAKO GWARANCJA POSTĘPU NAUKOWEGO

21 LUTEGO, 2020 • WARSZAWA, POLSKA 

## TOM 2



DOI 10.36074/21.02.2020.v2  
ISBN 978-83-7499-788-1



EUROPEAN  
SCIENTIFIC  
PLATFORM

# ΛÓΓΟΣ

KOLEKCJA PRAC NAUKOWYCH

Z MATERIAŁAMI MIĘDZYNARODOWEJ  
NAUKOWO-PRAKTYCZNEJ KONFERENCJI

**«WIELOKIERUNKOWOSC  
JAKO GWARANCJA POSTĘPU  
NAUKOWEGO»**

21 LUTEGO 2020 ROK

**TOM 2**

Warszawa • Polska



Przewodniczący Komitetu Organizacyjnego: Holdenblat M.

Odpowiedzialny za układ: Kazmina N.

Odpowiedzialny projektant: Bondarenko I.

W 66 **Wielokierunkowość Jako Gwarancja Postępu Naukowego:**  
kolekcja prac naukowych «ΛΟΓΟΣ» z materiałami  
Międzynarodowej naukowo-praktycznej konferencji (T. 2), 21  
lutego 2020 r. Warszawa, Polska: Europejska platforma  
naukowa.

ISBN 978-83-7499-788-1

DOI 10.36074/21.02.2020.v2

W referacie przedstawiono referaty i artykuły uczestników  
międzynarodowej konferencji naukowej i praktycznej «Wielokierunkowość  
Jako Gwarancja Postępu Naukowego», która odbyła się w Warszawie, 21  
lutego 2020 r.



Konferencja jest zawarta w katalogu  
Międzynarodowych Konferencji Naukowych,  
zatwierdzona przez ResearchBib i certyfikowana przez  
Euro Science Certification Group (SCC-2000).

Materiały konferencyjne są publicznie dostępne na warunkach międzynarodowej  
licencji Creative Commons Attribution 4.0 International (CC BY 4.0).



Opisy bibliograficzne materiałów  
konferencyjnych są indeksowane przez ORCID,  
Google Scholar, CrossRef, OpenAIRE i OUCI.

UDC 001 (08)

ISBN 978-83-7499-788-1

© Zespół autorów konferencji, 2020  
© Europejska platforma naukowa, 2020

## SPIS TREŚCI

### SEKCJA VII. CHEMIA

ОБРАБОТКА ЭКСПЕРИМЕНТАЛЬНЫХ ДАННЫХ  
СИНТЕЗИРОВАННЫМИ ПОЛИМЕР СОРБЕНТАМИ В  
КООРДИНАТАХ УРАВНЕНИЯ МОДЕЛИ ЛЕНГМЮРА

Ширинова Э.А. ..... 10

### SEKCJA VIII. BIOLOGIA

АДВЕНТИВНА ФРАКЦІЯ ФЛОРИ МИХАЙЛІВСЬКОГО ПРИРОДО-  
ОХОРОННОГО НАУКОВО-ДОСЛІДНОГО ВІДДІЛЕННЯ  
ПРИРОДНОГО ЗАПОВІДНИКА ЄЛАНЕЦЬКИЙ СТЕП

Мельничук С.С. ..... 12

АНАЛІЗ ДЕЯКИХ ПОКАЗНИКІВ РІВНЯ РОЗВИТКУ ФІЗИЧНИХ  
ЯКОСТЕЙ СЕРЕД УЧНІВ П'ЯТИХ КЛАСІВ

Калабухова А.С. ..... 15

ЗМІНИ ПОКАЗНИКІВ ЛЕЙКОЦИТАРНОЇ ФОРМУЛІ В УМОВАХ  
КОРОТКОЗОРОСТІ РІЗНОГО СТУПЕНЯ

Колесник Ю.І. ..... 17

РОЗМНОЖЕННЯ ДЕКОРАТИВНИХ КУЛЬТИVARІВ РОСЛИН РОДУ  
BERBERIS L. МЕТОДОМ ЩЕПЛЕННЯ

Якобчук О.М., Полупан О.В. ..... 19

### SEKCJA IX. MEDYCyna

FREQUENCY OF MANIFESTATION OF AUTOIMMUNE  
PATHOLOGY OF THYROID IN PATIENTS AFFECTED BY H. PYLORI

Marchenko A., Makarenko N. ..... 21

SOCIAL STRESS FACTORS AS A TRIGGER FOR THE  
DEVELOPMENT OF ANXIETY AND DEPRESSIVE DISORDERS

Strelnikova I. ..... 22

SURGICAL COMPLICATIONS OF HELMINTHIASIS

Kikosh K., Yakushev Y. ..... 24

THE EFFECT OF COMBATING MENTAL STRESS ON THE

DEVELOPMENT OF ANXIETY AND DEPRESSIVE DISORDERS  
IN SERVICEMEN OF COMBAT ACTIONS

Koshchii V. ..... 26

THE EFFICACY OF PSYCHOTHERAPEUTIC INTERVENTIONS IN  
COMPLEX TREATMENT OF PATIENTS WITH POST-TRAUMATIC  
STRESS DISORDER

Hrybakina A. ..... 27

ДИНАМІКА ПЕРЕБІGU ТА РЕГІОНАЛЬНИЙ РОЗПОДІЛ  
САМОГУБСТВ В УКРАЇНІ

Науково-дослідна група:

Біляков А.М., Михайличенко Б.В., Ергард Н.М.,  
Плетенецька А.О. ..... 29

КОРРЕКЦІЯ АНІЗОМЕЛІЇ ПРИ ДЦП КАК ФАКТОР  
ФУНКЦІОНАЛЬНОГО ВОССТАНОВЛЕННЯ СЕГМЕНТА ГОЛЕНЬ-  
СТОПА

Пчеляков А.В. ..... 34

МІЖНАРОДНА КЛАСИФІКАЦІЯ ФУНКЦІОНУВАННЯ ЯК ОРІЄНТИР  
ДІЯЛЬНОСТІ МІЖДИСЦИПЛІНАРНОЇ РЕАБІЛІТАЦІЙНОЇ  
КОМАНДИ

Волошко Л.Б. ..... 36

СТАН ПРОТЕЇНАЗ-ІНГІБІТОРНОЇ СИСТЕМИ У КУРЦІВ ХВОРІХ  
НА ХРОНІЧНЕ ОБСТРУКТИВНЕ ЗАХВОРЮВАННЯ ЛЕГЕНЬ

Перцева Т.О., Строчака О.Б. ..... 37

**SEKCJA X.**

**FARMACEUTYKA**

PHARMACOLOGICAL PROPERTIES OF GARLIC (ALLIUM SATIVUM L.), EXPERIENCE AND PROSPECTS OF ITS APPLICATION IN MEDICINE

Research group:

Stoletov Y., Kutsenko T., Ulanova V., Belik G. ..... 39

**SEKCJA XI.**

**PSYCHOLOGIA I SOCJOLOGIA**

EFFECTIVENESS OF USING PECS AMONG CHILDREN DIAGNOSED WITH ASD WHO HAVE PROBLEMS WITH COMMUNICATION

Kyselova A., Chernishova E. ..... 43

**Conclusions.** The study showed that *H. pylori* infection is associated with the development of autoimmune thyroiditis. These data should be taken in account for the etiological search of pathology and the choice of tactics of treatment of patients with autoimmune thyroiditis.

**References:**

1. Stephen J.Merrill, Sarah B.Minucci, (2018). *Chapter Six - Thyroid Autoimmunity: An Interplay of Factors. Vitamins and Hormones*, (106), 129-145.<https://doi.org/10.1016/bs.vh.2017.07.001>
2. Lee HJ, Li CW, Hammerstad SS, Stefan M, Tomer Y., (2015). *Immunogenetics of autoimmune thyroid diseases: A comprehensive review* *J Autoimmun*, (64),82-90. <https://doi.org/10.1016/j.jaut.2015.07.009>
3. Hou Y, Sun W, Zhang C, Wang T, Guo X, Wu L, Qin L, Liu T, (2017). *Meta-analysis of the correlation between Helicobacter pylori infection and autoimmune thyroid diseases*. *Oncotarget*, (70), 115691-115700. doi: 10.18632/oncotarget.22929. PMID: 29383192; PMCID: PMC5777804.

**DOI 10.36074/21.02.2020.v2.07**

## **SOCIAL STRESS FACTORS AS A TRIGGER FOR THE DEVELOPMENT OF ANXIETY AND DEPRESSIVE DISORDERS**

**Iryna Strelnikova**  
Associate Professor  
*Kharkiv National Medical University*

**UKRAINE**

**Relevance.** The continuing difficult social situation in modern Ukrainian society is one of the triggers for the emergence of nonpsychotic forms of mental pathology among all age groups of the population, which is confirmed by official medical statistics. These disorders are especially pronounced among people forcibly displaced from the war zone, for whom the psychological stress and difficulties associated with adapting to new living conditions (place of residence, work, social relations) remain one of the main internal barriers to adaptation to peaceful life.

In this situation, the existing stress disorders (associated with the war, loss of property, etc.) are combined with new ones related to the lack of financial and social security, constant receiving negative information from telecommunications and social networks, and the uncertainty of the future. These individuals are faced with everyday and professional problems, changes in life guidelines and stereotypes, difficulties in communication, problems with education, communication in the family and a changed social environment.

The above-mentioned determines the relevance of this study, the purpose of which was to study the structure and patterns of the formation of anxiety-depressive disorders in forcibly displaced persons from the zone of military actions.

**Materials and methods.** The object of the study was 106 persons of both genders, migrants from the war zone and living in a peaceful territory for at least 4

years, the age of the examined people was 36-56 years. To solve the tasks, the following research methods were used: clinical and anamnestic, clinical-psychopathological, psychodiagnostic (the Spilberger-Hanin Reactive Anxiety Scale, Zung Anxiety Self-Assessment Scale, Hamilton Hospital Anxiety and Depression Scale, Psychopathological symptomatology severity questionnaire (Symptom Check List-90-Revised - SLC-90-R)), methods of mathematical statistics.

Results and discussions. Psychosocial risk factors that contribute to the development of anxiety-depressive disorders in people displaced from the zone of military actions have been identified. One of the most significant factors is mental deprivation and continued social maladaptation due to dissatisfaction with the changing living conditions.

According to a clinical and psychopathological study of these individuals, mental disorders such as depression, decreased mood, anhedonia, increased anxiety, a tendency to unmotivated fears, and low self-esteem are most characteristic. Sometimes fears of these examined people become more specific: the fear of loneliness, impending danger, death, etc. In some cases, the feeling of impending danger can be significantly expressed and be accompanied by heart palpitations, shortness of breath, sweating, cold extremities, impaired perception of one's own body. In some of the examined, hypochondriacal experiences and senestopathic disorders were noticed. Against this background, increased attention to the functions of his body is developed and accompanied by an incorrect interpretation of the sensations that have arisen.

Conclusions. In the formation of anxiety-depressive disorders in the studied population, the tendency to affective behavior disorders, persistent emotional disturbances, and disorders of the autonomic nervous system, caused by protective psychological mechanisms determined by protracted adaptation to changing environmental conditions, are characteristic.

Based on the data of a clinical examination of people displaced from the zone of military actions, a widespread prevalence of mental disorders of the non-psychotic register was revealed, in the clinical structure of which anxiety-depressive disorders take the leading place.

#### References:

1. Australian Guidelines for the Treatment of Adults with Acute Stress Disorder and Posttraumatic Stress Disorder. (2007). Aust N Z J Psychiatry, 41 (8): 637-48.DOI: 10.1080/00048670701449161.
2. Kreiger, N. (2001). *Theories for social epidemiology in the 21<sup>st</sup> century: an ecosocial perspective*. International Journal of Epidemiology, Vol. 30. Issue 4.P. 668-677.