

*The Journal of*  
**Medicine  
and Philosophy**



# The Journal of Medicine and Philosophy

Issue 6 (2), December 2017

VOLUME 42

Oxford University Press

2017

*The Journal of Medicine and Philosophy, Issue 6 (2), (December), Volume 42. Oxford University Press, 2017. - Pages 1200 – 1399.*

Proceedings of the Journal are located in the **Databases Scopus and Web of Science.**

Source Normalized Impact per Paper (SNIP): 1.074

SCImago Journal Rank (SJR): 0.601

**Impact factor: 0.851**

**5-Yr impact factor: 0.973**

©2016 Thomson Reuters, 2015 Journal Citation Report®

**EDITORS:**

**FOUNDING EDITOR**

Edmund D. Pellegrino

Georgetown University, Washington, DC, USA

**SENIOR EDITOR**

H. Tristram Engelhardt, Jr.

Rice University, Houston, TX, USA

**EDITOR**

Mark J. Cherry

St. Edward's University, Austin, TX, USA

**ASSOCIATE EDITORS**

Ruiping Fan

City University of Hong Kong, Hong Kong, PRC

Ana Smith Iltis

Wake Forest University, Winston-Salem, NC, USA

**SENIOR MANAGING EDITOR**

Victor Saenz

Rice University, Houston, TX, USA

**EDITORIAL BOARD**

Jeffrey P. Bishop

Center for Health Care Ethics, Saint Louis University, St. Louis, MO, USA

Baruch Brody

Rice University, Houston, TX, USA

Corinna Delkeskamp-Hayes

European Programs, International Studies in Philosophy and Medicine, Freigericht, Germany

Benjamin E. Hippen

Metrolina Nephrology Associates, Charlotte, NC, USA

George Khushf

University of South Carolina, Columbia, SC, USA

Loretta M. Kopelman

Brody School of Medicine, Greenville, NC, USA

B. Andrew Lustig

Davidson College, Davidson, NC, USA

Laurence B. McCullough

Baylor College of Medicine, Houston, TX, USA

Lisa Rasmussen

University of North Carolina at Charlotte, Charlotte, NC, USA

Kurt W. Schmidt

Zentrum für Ethik in der Medizin, Frankfurt, Germany

Christopher Tollefsen

University of South Carolina, Columbia, SC, USA

Griffin Trotter

Saint Louis University, St. Louis, MO, USA

Robert M. Veatch

Georgetown University, Washington, DC, USA

Kevin Wm. Wildes, S.J.

Loyola University, New Orleans, LA, USA

## EDITORIAL ADVISORY BOARD

George J. Agich

Bowling Green State University, Bowling Green, OH, USA

Kurt Bayertz

Philosophisches Seminar, Münster, Germany

Tom L. Beauchamp

Georgetown University, Washington, DC, USA

Robyn Bluhm

Michigan State University, East Lansing, MI, USA

Eugene Boisaubin

University of Texas School of Medicine at Houston, Houston, TX, USA

Joseph Boyle

St. Michael's College, Toronto, Canada

Dan W. Brock

Harvard University Medical School, Boston, MA, USA

Allen E. Buchanan

Duke University, Durham, NC, USA

Jennifer Bulcock

Cabrini University, Radnor, PA, USA

Cinzia Caporale

University of Siena, Siena, Italy

Frank A. Chervenak

New York Weill Cornell Medical Center, New York, NY, USA

James F. Childress

University of Virginia, Charlottesville, VA, USA

Chauncey Colwell

Philadelphia, PA, USA

John Coverdale

Baylor College of Medicine, Houston, TX, USA

John Crosby

Franciscan University, Steubenville, OH, USA

Steve G. Crowell

Rice University, Houston, TX, USA

Mary Ann Gardell Cutter

University of Colorado, Colorado Springs, CO, USA

Norman Daniels

Harvard University Medical School, Boston, MA, USA

Russell DiSilvestro

California State University, Sacramento, CA, USA

Edmund L. Erde

University of Medicine and Dentistry of New Jersey, Stratford, NJ, USA

Stephen Erickson

Pomona College, Claremont, CA, USA

Kari Esbensen

Emory University School of Medicine, Atlanta, GA, USA

Melinda Bonnie Fagan

University of Utah Salt Lake City, UT, USA

Kevin T. Fitzgerald

Georgetown University, Washington, DC, USA

Jeremy R. Garrett

Children's Mercy Bioethics Center, Kansas City, MO, USA

John Harris

University of Manchester, Manchester, UK

Fabrice Jotterand

Center for Bioethics and Medical Humanities, Medical College of Wisconsin, Milwaukee, WI, USA

Eric T. Juengst

Case Western Reserve University, Cleveland, OH, USA

Emil Jurcan

University 1 Decembrie 1918, Alba Iulia, Romania

Maureen Kelley

The Ethox Centre, University of Oxford, Oxford, UK

Rihito Kimura

Waseda University, Tokyo, Japan  
Janet T. Malek  
Baylor College of Medicine, Houston, TX, USA  
Leah McClimans  
University of South Carolina, Columbia, SC, USA  
Maurizio Mori  
Politeia, Milan, Italy  
Melissa Moschella  
The Catholic University of America, Washington, DC, USA  
Ryan R. Nash  
Center for Bioethics, The Ohio State University Wexner College of Medicine, Columbus, OH, USA  
Lisa S. Parker  
University of Pittsburgh, Pittsburgh, PA, USA  
Brian Partridge  
University of Alaska-Anchorage  
John F. Peppin  
The Pain Treatment Center of the Bluegrass, University of Kentucky, Lexington, Kentucky, USA  
José Luis Peset  
Instituto “Arnau de Vilanova”, Madrid, Spain  
Leo Pessini  
Centro Universitário São Camilo, São Paulo, Brazil  
Trisha Phillips  
West Virginia University, Morgantown, WV, USA  
Ren-Zong Qiu  
The Chinese Academy of Social Sciences, Beijing, China  
Annette Rid  
King’s College London, London, UK  
Michael A. Rie  
University of Kentucky, Lexington, KY, USA  
Robert Sade  
Medical University of South Carolina, Charleston, SC, USA  
Julia Tao  
City University of Hong Kong, Hong Kong, PRC  
James Stacey Taylor  
College of New Jersey, Ewing, NJ, USA  
Rosemarie Tong  
University of North Carolina at Charlotte, Charlotte, NC, USA  
Mingxu Wang  
Xian Jiaotong University Medical School  
Stephen E. Wear  
SUNY at Buffalo, Buffalo, NY, USA  
Patricia D. White  
School of Law, University of Miami, Coral Gables, FL, USA  
Stuart J. Youngner  
Case Western Reserve University, Cleveland, OH, USA

ISSN 0360-5310  
EISSN 1744-5019

© Oxford University Press, 2017  
© The University of Oxford, 2017

## CONTENTS

<i>Margarita Villar Luis, Luciana Barizon Luchesi, Sara Pinto Barbosa, Karla Selene Lopez, Jair Licio Ferreira Santos</i> <b>Patterns of Alcohol Use among Patients Who Visited Community Emergency Care Services in Southwestern Brazil.....</b>	<b>1207</b>
<i>Maria E. Compton, David M. Compton</i> <b>Public Health Informatics: A Brief Review of the Field.....</b>	<b>1221</b>
<i>Rodney P. Jones</i> <b>Infectious-like Spread of an Agent Leading to Increased Medical Admissions and Deaths in Wigan (England), during 2011 and 2012.....</b>	<b>1234</b>
<i>Parag Deepak Dabir, Jens Johannes Christiansen</i> <b>Not to be Missed Entity: Dieulafoy's Lesion!.....</b>	<b>1259</b>
<i>Ebtesam M. Al-Zabedi, Mahmoud A. Ogaili, Mohamed T. Al-Maktari, Mohamed S. Noman</i> <b>Hepatitis B Virus Seropositivity among Schistosomiasis and Diabetes Mellitus Patients in Sana'a City, Yemen.....</b>	<b>1263</b>
<i>Hamid Soori, Ali Nasermoadeli, Elaheh Ainy</i> <b>The Role of Graduated Drivers' Licensing on Incidence and Severity of Road Traffic Injuries in Iran.....</b>	<b>1289</b>
<i>A.H. Aliyev, F.A. Aliyeva, K.Q. Mamedova</i> <b>Dynamics of some hormones and glucose of blood in rabbits after prenatal hypoxia and subjected to postnatal physical exertion.....</b>	<b>1299</b>
<i>N.V. Zharova, I.Yu. Bagmut, A.V. Titkova, D.I. Marakushyn, Yu.K. Rezumenko</i> <b>The influence of phosphorus complex organic mixtures on the content of sexual hormones and gonadotropins in the serum with violations in the reproductive system.....</b>	<b>1306</b>
<i>A.H. Aliyev, S.J. Mammadova</i> <b>Physical loading effect of blood components dynamic changes in the 30 days hypoxianal baby rabbits in the prenatal ontogenesis.....</b>	<b>1312</b>
<i>Venelin Terziev</i> <b>Building a model of social and pshychological adaptation.....</b>	<b>1318</b>
<i>Venelin Terziev</i> <b>Opportunities of aplication of a competence-based approach in social adaptation of militaries discharged of service.....</b>	<b>1330</b>
<i>L.V. Kaniovska, O.V. Kaushanska, O.V. Zaliavska, O.D. Liakhovich</i> <b>Prospects of application of drugs based on guaric acid in treatment of patients with osteoarthritis and comorbid course of steatohepatitis and excessive body weight.....</b>	<b>1345</b>
<i>N.N. Korotich, N.M. Lokhmatova, I.A. Kolisnyk</i> <b>Impact of dysplastic scoliosis on chemical composition of permanent teeth enamel.....</b>	<b>1352</b>
<i>Nataliya Kuzniak, Olena Hahen</i> <b>Advantages and disadvantages of modern distance education.....</b>	<b>1358</b>
<i>Ruska Paskaleva</i> <b>Motivation of students for active participation in practical training.....</b>	<b>1364</b>

- Nikolai Popov, Tatiana Liadova, Aleksandr Kozlov, Olga Sorokina*  
**Cytokine profile in chronic Epstein-Barr virus infection.....1375**
- Nikolai Popov, Tatiana Liadova, Olga Volobueva, Svetlana Malanchuk,  
Alla Gamilovskaya, Natalia Kasyan*  
**Therapeutic effectiveness of Abiflox in the complex therapy of patients with  
non-hospital pneumonia.....1383**
- Y.G. Kyyak, L.E. Lapovets, Y.I. Onyshuk, G.V. Bashta, O.A. Kovalyshyn, N.V. Fartushok,  
M.P. Zeletskyy, A.S. Kost*  
**Excessive dose of alcohol as a risk factor conduction disturbances.....1392**

**Zharova N.V., Bagmut I.Yu., Titkova A.V.,**

**Marakushyn D.I., Rezunenko Yu.K.,**

*Kharkiv Medical Academy of Postgraduate Education (Kharkiv, Ukraine),*

*Kharkiv National Medical University (Kharkiv, Ukraine)*

## ***The influence of phosphorus complex organic mixtures on the content of sexual hormones and gonadotropins in the serum with violations in the reproductive system***

**Abstract:** At 100 Wistar rat population in subacute experiment the effect of small doses of subtoxic phosphorus detergents (Efasol, Polifos, Syntaf) on the level of sex hormones in the blood serum of females - estrogen and gonadotropins was investigated by radioimmunoassay. There were 9 research groups and one control, 10 animals in each (N=100). Estrogen and gonadotropins were studied in rat serum. Significant inhibition of gonadotropin secretion may be combined with the permeability of the haemato-encephalic barrier for phosphorus complex organic compounds and their direct influence on the hypothalamic-pituitary neuroendocrine complex.

**Keywords:** xenobiotics, progesterone, prolactin, luteotropin, follicle-stimulating hormone, estradiol, serum, rats.

### **Introduction**

In recent decades, accumulated a lot of data on the impact of harmful factors and the environment on production and reproductive function of women of childbearing age in contact with chemicals. Studies have shown that some chemicals can affect on the formation of defective gametes, the development of embryos and fetuses, gestation, lactation [1,2,3]. The analysis of scientific literature suggests that reducing the number of zygotes can be combined with the induction of dominant lethal mutations, and by reducing the number of fertilized eggs and therefore a violation of the fertilizing capacity of sperm as well as eggs. It is known that the frequency of ovulation, death of embryos before and after implantation controlled by independent genetic systems and genes that control death for implantation, exhibit high level of domination.

The increase amount of stillborn and abortions was repeatedly educed for women that work on chemical productions. Next to that, at the analysis of questionnaires, that characterize psychical and physical development and general of descendants status, attract attention on itself frequent complaints of workers of chemical industry on lag of the children in early development of cognitive function, subzero success with studies at school, excited, irritate, nervousness, increase morbidity of the nervous, cardiovascular, respiratory system, perverted of immune-biological reactivity etc. [3, 4, 5]. There are violation of the endocrine system and immunological insufficiency in many cases [5-7]. Researches specify on the wide use of phosphorus complex organic mixtures of difficult organic mixtures in different industries of national economy and on their contact with a population both on a production and in the way of life.

The absence of prognostic description of potential safety for warm-blooded animals and man, large production volumes and assortment of products on their basis, dictate the necessity of study of physiopathology and pathochemical mechanisms of forming of reproductive function in the conditions of the protracted subtoxic operating on an organism. Our previous researches showed that phosphorus organic mixtures that have the commodity name as Efasol, Polifos, Syntaf 10-18 in doses 1/10 and 1/100 LD<sub>50</sub> at the protracted subtoxic action in a toxicological experiment diminished the amount of living embryos, mass and sizes of garden-stuffs, promoted preimplantic and postimplantic death of the embryos [8, 9].

Above-mentioned, the **purpose** is to study the contents of serum levels of sexual hormones - estrogen and gonadotropins in the conditions of prolonged subtoxic action of phosphorus detergents.

### **Materials and methods**

The choosing of organic phosphorus compound mixtures was justified by the necessity of opening the pathophysiological mechanisms of action and long subtoxic formation of reproductive disorders in rats in subacute experiment. The study subjected the following phosphorus detergents: Efasol - mix based on and secondary alcohols fraction C10-C20; Polifos - a mixture of synthetic primary alcohols fractions C7-C12 and phosphoric anhydride; Syntaf 10-18 - a mixture of mono- and diephirs alkilphosphats' acid based on primary fatty acid fraction C10-C18.

The program included the study of subacute experiment on mature rats (female) population Wistar, weighing 210-220 grams. The animals were fed for 45 days by a metal probe daily morning fasting intragastric administered aqueous solutions of phosphorus detergents at a rate of 1/10, 1/100, 1/1000 LD<sub>50</sub>.

The control group of females received the appropriate volume of drinking water. In each group, both in experimental and in the control group were 10 animals (N=100). During the all phases of scientific experiment we observed the rules of humane treatment of animals and requirements of the European Convention for the Protection of vertebrate animals used in scientific experiments and other purposes (Strasbourg, 1986).

Based on the parameters of acute toxicity the chemical mixtures belong to low-toxic compounds that do not have the species and gender sensitivity, but have distinct cumulative properties. All these xenobiotics on aggregate state are viscous liquids that are readily soluble in water and organic solvents - alcohols, ether, toluene, benzene and others. Average lethal dose (LD<sub>50</sub>) to white Wistar rats were set at  $6,9 \pm 1,2$ ;  $8,2 \pm 0,4$  and  $11,7 \pm 0,9$  g / kg of the animal, according to Efasol, Polifos - 72 and Syntaf - 10-18. According to the purpose of the study serum gonadotropin and estrogen level in female were studied by radioimmunoassay using appropriate test systems. The content of serum progesterone was determined using reagents Institute of Bioorganic Chemistry of Belarus; Prolactin (PL), luteotropin (LH), follicle-stimulating hormone (FSH), estradiol (ED) were determined using test systems of Oris Industrie SA (France) [8, 9]. Statistical analysis of the results was carried out by methods of variation statistics estimate the probability for the Student-Fisher.

### **Results and discussion**

Results of assessment of the impact of phosphorus compounds in ovarian hormones in rats have shown that doses of xenobiotics in 1/10 and 1/100 LD<sub>50</sub> reduce the level of serum estradiol. Efasol doses 1/10 and 1/100 LD<sub>50</sub> reduced rates of estradiol to 60.28% and 38.72%, Polifos-72 -to 57.51% and 35.69%, Syntaf 10-18 – to 56, 63% and 37.33% respectively. These results indicate that phosphorus complex organic mixtures in appropriate doses can inhibit folliculogenesis and the formation of female secondary sexual characteristics.

Against this background the inhibition of secretion of progesterone (the pregnancy hormone) in yellow bodies was marked. Influenced by Efasol the

progesterone levels decreased to 48.60% and 35.57%, by Polifos-72 - to 42.96% and 30,64%, by Syntaf 10-18 - to 38.74% and 16.91%, respectively to groups of animals which were toxicated by 1/10 and 1/100 LD<sub>50</sub>.

Analysis showed that the decrease in progesterone production may interfere with implantation of a fertilized egg and development of pregnancy. Content of the gonadotropins in serum revealed lower levels of luteinizing hormone, follicle stimulating hormone and prolactin influenced by 1/10 and 1/100 LD<sub>50</sub>.

During the research it was found that phosphorus detergents can inhibit luteotropins content in blood serum for 50.18% and 37.55% influenced by Efasol. Similar dynamics was typical to others detergents: Polifos-72 reduced the level at luteotropin to 44.57% and 42.11%, Syntaf 10-18 - to 48.25% and 35.09%, respectively, in groups of animals which were toxicated by 1/10 and 1/100 LD<sub>50</sub>. Reduced levels of luteinizing hormone can be combined in violation of ovulation, pregnancy formation of corpora lutea in the ovaries, inhibition of secretion of estradiol and progesterone that occur during prolonged subacute experiments in animals [7].

Follicle stimulating hormone decreased under the influence by Efasol to 51.60% and 34.28%, Polifos-72 reduced the level to 47.71% and 32.16%, Syntaf 10-18 – to 41.70% and 24.74%, according to the groups of which were toxicated by 1/10 and 1/100 LD<sub>50</sub>. Reduced levels of this hormone can affect the growth and maturation of follicles in the ovaries and disrupt the secretion of estrogen and cooperative action of luteotropin and the process of ovulation. It was found the reduction of lactotropic hormone in serum influenced by Efasol to 47.05% and 33.82%, Polifos-72 reduced the level at 40.48% and 42.82%, Syntaf 10-18 – at 33.83% and 30.46%, respectively, in groups of animals which were toxicated by 1/10 and 1/100 LD<sub>50</sub>.

Analysis shows that phosphorus detergents are able to disrupt lactation, the differentiation of various tissues, growth and metabolism [7-9]. At the same time, it should be noted that a dose of xenobiotics 1/1000 LD<sub>50</sub> do not influence on the content of sexual hormones and gonadotropins in the serum.

### **Conclusion**

Thus, complex organic phosphorus compounds - Efasol, Polifos-72, Syntaf 10-18 at doses of 1/10 and 1/100 LD<sub>50</sub> at long subtoxic action can inhibit the synthesis and secretion of gonadotropins (FSH, LH, PL) and hormones (ED, PG). Under such circumstances the genital dysfunction, disorders of the formation of secondary sexual characteristics, violation of ovarian-menstrual cycle and lactation should be expected.

Thus, in terms of working environment and a significant burden on the body of phosphorus compounds the formation of dysfunction in sexual instinct and mental status in women may be expected.

The analysis shows that a significant inhibition of gonadotropin secretion may be combined with the permeability of the haemato-encephalic barrier for phosphorus complex organic compounds and their direct impact on the hypothalamic-pituitary neuroendocrine complex.

#### References:

1. Human health in modern ecological environment / S.I. Home. - M.: FAIR-PRESS, 2001. - 208 p.
2. Environment and Human Health / E. Ekholm. - Progress, 1980. - 240 p.
3. Boychuk Y.D., Soloshenko E.M., Bugay A., Ecology and environment: Textbook. Sumy: University Book, 2002. - 284 p.
4. Trushkyna L.Y., Trushkyn A.G., Demyanova L.M., Hygiene and human ecology: Tutorial. 2003. Phoenix. – 448 p.
5. Serdyuk A.M., Chernobyl and health of the population of Ukraine: Environment and Health, 1998, № 2 (5): P. 56.
6. Khaitov R.M., Pinegin B.V., Ystamov H.M., Environmental Immunology: M. Ed. VNYRO, 1995: P. 219s.
7. Zagayko A.L., Voronina L.N., Voloschenko L.N., Kravchenko V.N., Functional Biochemistry; Kharkov, pharmacy, 2010. - 220 p.
8. Tsihanenko A.J., Zhukov V.I., Shcherban N.G., Structural and metabolic mechanisms in the formative stirred cellular and humoral immunity under the influence of detergents in connection with problem of safety of water eco systems: Kharkiv - Belgorod "Polysintes", 2001. - 414 p.
9. Zhukov V.I., Kratenko R.I., Rezunenکو J.K., Medical aspects of biological problems of safety water objects from pollution active substance: Kharkiv: "Tornado", 2000. - 394 p.
10. Shcherban N.G., Zhukov V.I., Myasoedov V.V., Kapustnik V.V., Mechanisms of biochemical radiometrical effects of surface active substances. - Kharkiv "Rariteti Ukraine", 2012. - 120 p.
11. Bagmut Y.YU., Klimenko N.A., Zhukov V.I., Effect of oligoepeptides on content of gonadotropic and sexual hormones in rats' blood // Materials of IX internationa

- scientific conference "Prospects of Education in science and technics - 2013". - 7-15 November 2013, T. 28. - Polska, Przemysl: «Nauka and studia», 2013. - P. 3-6.
12. Effect mal'yx doses olyhoэфиров to power machinery and uhlevodnyy exchange Bagmut Y.YU., Zhukov VI, Klimenko NA // Materials IX mezhdunarodnoy scientific conference "Nauchnaya Industriia continent Evropeyskoho 2013". - 27 November-5 December 2013 grams - T. 27. - Czech Republic, Praha: Publishing House «Education and Science» s.r.o., 2013. - P. 9.
13. Багмут И.Ю., Зайцева О.В., Жуков В.И., Книгавко В.Г. Подострое влияние олигоэфиров на антиокислительную активность печени у белых крыс // Материалы X международной научно-практической конференции «Ключевые вопросы в современной науке – 2014». – 17-25 апреля 2014 г. – Т. 28. – Болгария, София: «Бял ГРАД-БГ» ООД, 2014. – С. 80–85.
14. Nakonechnaya OA, Hopkalov VG, Bagmut Y.YU., IA Vyshnytskaya. Status hormonal metabolism in rat belah, podverhavshyhsya Impact olyhoэфyrtsyklokarbonatom and olyhoэфyrmonoэpoksydom in subacute Experience // Scientific journal "Ukrainian medical almanac". - Luhansk. - T. 17, № 3. - 2014. - S. 112-116.